Competence creates Confidence.



Quix endclosures > Model no. 1735, 1736

Roll ring method for simple assembly and disassembly of the samples

All parts that come into contact with the medium made from stainless steel





Standards	
ISO 1167	
ASTM D 1598	
ASTM D 1599	

Description

The internal pressure creep test is a test procedure for determining the strength of thermoplastic pipes to constant hydrostatic internal pressure at a constant ambient temperature. The samples are tested either for a specified period or until they fail. The test duration is subject to the tension generated by the internal pressure and the temperature.

Simple and safe operation

- Quick assembly thanks to proven endclosure design
- Simple and reliable venting directly at the sample

Lasting efficiency

High-quality unit components guarantee high reliability, a long service life and low maintenance costs



Competence creates Confidence. Since 1969.



Versions

	V1735-0008	V1735-0010	V1735-0012	V1735-0016	V1735-0017	V1735-0018	V1735-0020	V1735-0025	V1735-0032	V1735-0040	V1735-0050
For pipe diameter DN m	m 8	10	12	16	17	18	20	25	32	40	50
	_										
	V1735-0063	V1735-0075	V1735-0090	V1735-0110	V1735-0125	V1735-0140	V1735-0160	V1735-0180	V1735-0200	V1735-0225	V1735-0250
For pipe diameter DN m	m 63	75	90	110	125	140	160	180	200	225	250
		••••••	•••••	• • • • • • • • • • • • • • • • • • • •	• • • • • • • • • •		• • • • • • • • • •	• • • • • • • • • • • • • • • • • • • •	•••••		•••••
	V1736-0012	V1736-0017	V1736-0015	V1736-0021	V1736-0022	V1736-0026	V1736-0028	V1736-0033	V1736-0034	V1736-0042	V1736-0041
For pipe diameter DN Inch	es 3/8 CTS	3/8 IPS	1/2 CTS	1/2 IPS	3/4 CTS	3/4 IPS	1 CTS	1 IPS	1 1/4 CTS	1 1/4 IPS	1 1/2 CTS
	V1736-0048	V1736-0047	V1736-0054	V1736-0061	V1736-0088	V1736-0114	V1736-0141	V1736-0168	V1736-0219	V1736-0273	V1736-0323
For pipe diameter DN Inch	es 1 1/2 IPS	1 3/4 CTS	2 CTS	2 IPS	3 IPS	4 IPS	5 IPS	6 IPS	8 IPS	10 IPS	12 IPS
Maximum test pressure b	 ar	200									
Max. test temperature	°C	160									
Endclosure material		Stainless steel 1.4305/AISI 303/UNS S30300									
Suitable for PE pipes		•									
Suitable for PP pipes		•									
Suitable for PVC pipes		•									
		•									
Vent screw		•									
				Quick-release plug							
Vent screw Ring nut for suspension Pressure connection					Quio	ck-release	plug				

Competence creates Confidence. Since 1969.



Accessories

Product	Description	Model no.
	Pipe testers	1720
		1520
		1670
4 1		
20 8		
_	Test bath	1751-1757
12 4	Test oven	1662
-		
	Suspension hook for sample	1079
1/5		
	Connecting hoses	1074, 1577